

APÉNDICE VIII.25

Listado de especies de Papilionoidea y Hesperioidea del estado de Veracruz

Hesperioidea Hesperiidae Pyrrhopyginae

1. *Jonaspyge jonas* (C. Felder & R. Felder, 1859)
2. *Pyrrhopyge zenodorus* Godman & Salvin, 1893
3. *Chalypyge chalybea* Chloris (Evans, 1951)
4. *Melanopyge mulleri* (Bell, 1934)
5. *Apyrrothrix araxes* (Hewitson, 1867)
6. *Elbella scylla* (Ménétriés, 1855)
7. *Elbella patrobas mexicana* Mielke, 1995
8. *Parelbella macleannani* (Godman & Salvin, 1893)
9. *Jemadia pseudognetus* (Mabille, [1879])
10. *Mysoria ambigua* (Mabille & Boulet, 1908)
11. *Myscelus amystis hages* (Godman & Salvin, 1893)
12. *Myscelus belti* Godman & Salvin, 1879
13. *Myscelus perissodora* Dyar, 1914

Pyrginae

14. *Phocides palemonlilea* (Reakirt, [1867])
15. *Phocides belus* Godman & Salvin, 1893
16. *Phocides pigmalion pigmalion* (Cramer, [1779])
17. *Phocides urania* (Westwood, [1852])
18. *Phanus confusus* Austin, 1993
19. *Phanus albiapicalis* Austin, 1993
20. *Phanus marshallii* Kirby, 1880
21. *Udranomia orcinus* (C. Felder & R. Felder, 1867)
22. *Udranomia kikkawai* (Weeks, 1906)
23. *Entheus crux* Steinhauser, 1989
24. *Proteides mercurius mercurius* (Fabricius, 1787)
25. *Epargyreus socus orizaba* Scudder, 1872
26. *Epargyreus exadeus cruza* Evans, 1952
27. *Epargyreus aspina* Evans, 1952
28. *Epargyreus spina spina* Evans, 1952
29. *Epargyreus clavicornis tenda* Evans, 1955
30. *Polygonus leo arizonensis* (Skinner, 1911)
31. *Polygonus manueli manueli* Bell & W.P. Comstock, 1948

32. *Chioides albofasciatus* (Hewitson, 1867)
33. *Chioides zilpa* (Butler, 1872)
34. *Aguna asander asander* (Hewitson, 1867)
35. *Aguna claxon* Evans, 1952
36. *Aguna aurunce hypozonius* (Plötz, 1880)
37. *Aguna coeloides* Austin & Mielke, 1997
38. *Aguna metophis* (Latreille, [1824])
39. *Typhedanus undulatus* (Hewitson, 1867)
40. *Typhedanus ampyx* (Godman & Salvin, 1893)
41. *Polythrix octomaculata* (Sepp, 1848)
42. *Polythrix asine* (Hewitson, 1867)
43. *Polythrix mexicanus* H.A. Freeman, 1969
44. *Polythrix caunus* (Herrich-Schäffer, 1869)
45. *Polythrix auginus* (Hewitson, 1867)
46. *Chrysoplectrum epicincea* (Butler & H. Druce, 1872)
47. *Zestusa elwesi* (Godman & Salvin, 1893)
48. *Codattractus carlos carlos* Evans, 1952
49. *Codattractus alcaeus alcaeus* (Hewitson, 1867)
50. *Codattractus arizonensis* (Skinner, 1905)
51. *Codattractus melon* (Godman & Salvin, 1893)
52. *Codattractus bryaxis* (Hewitson, 1867)
53. *Codattractus cyda* (Godman, 1901)
54. " *Codattractus* " *hyster* (Dyar, 1916)
55. *Ridens mephitis* (Hewitson, 1876)
56. *Ridens allyni* H.A. Freeman, 1979
57. *Ridens miltas* (Godman & Salvin, 1893)
58. *Urbanus proteus proteus* (Linnaeus, 1758)
59. *Urbanus viterboana* (Ehrmann, 1907)
60. *Urbanus belli* (Hayward, 1935)
61. *Urbanus pronta* Evans, 1952
62. *Urbanus pronus* Evans, 1952
63. *Urbanus esmeraldus* (Butler, 1877)
64. *Urbanus evona* Evans, 1952
65. *Urbanus viridis* H.A. Freeman, 1970
66. *Urbanus esta* Evans, 1952
67. *Urbanus prodicus* Bell, 1956
68. *Urbanus dorantes dorantes* (Stoll, [1790])
69. *Urbanus teleus* (Hübner, 1821)
70. *Urbanus tanna* Evans, 1952
71. *Urbanus simplicius* (Stoll, [1790])
72. *Urbanus procne* (Plötz, 1881)
73. *Urbanus doryssus chales* (Godman & Salvin, 1893)

74. *Urbanus albimargo albimargo* (Mabille, 1875)
75. *Astrartes talus* (Cramer, [1777])
76. *Astrartes fulgurator azul* (Reakirt, [1867])
77. *Astrartes tucuti* (R.C. Williams, 1927)
78. *Astrartes brevicauda* (Plötz, 1886)
79. *Astrartes egregius egregius* (Butler, 1870)
80. *Astrartes phalaecus* (Godman & Salvin, 1893)
81. *Astrartes enotrus* (Stoll, [1781])
82. *Astrartes janeira* (Cramer, [1780])
83. *Astrartes megalurus* (Mabille, 1877)
84. *Astrartes alardus latia* Evans, 1952
85. *Astrartes alector hopfferi* (Plötz, 1882)
86. *Astrartes creteus crana* Evans, 1952
87. *Astrartes bifascia* (Herrich-Schäffer, 1869)
88. *Astrartes chiriquensis chiriquensis* (Staudinger, 1876)
89. *Astrartes anaphus annetta* Evans, 1952
90. *Narcosius parisi helen* (Evans, 1952)
91. *Narcosius colossus colossus* (Herrich-Schäffer, 1869)
92. *Narcosius samson* (Evans, 1952)
93. *Narcosius nazaraeus* Steinhauser, 1986
94. *Autochton cellus* (Boisduval & LeConte, [1837])
95. *Autochton pseudocellus* (Coolidge & Clemence, [1910])
96. *Autochton cincta* (Plötz, 1882)
97. *Autochton vectilucis* (Butler, 1872)
98. *Autochton neis* (Geyer, [1832])
99. *Autochton longipennis* (Plötz, 1882)
100. *Autochton zarez* (Hübner, [1818])
101. *Thessia jalapus* (Plötz, 1882)
102. *Achalarus lyciades* (Geyer, [1832])
103. *Achalarus casica* (Herrich-Schäffer, 1869)
104. *Achalarus albociliatus albociliatus* (Mabille, 1877)
105. *Achalarus toxeus* (Plötz, 1882)
106. *Venada advena* (Mabille, 1889)
107. *Thorybes bathyllus* (J.E. Smith, 1797)
108. *Thorybes mexicana* (Herrich-Schäffer, 1869)
109. *Cabares potrillo potrillo* (Lucas, 1857)
110. *Cephise nuspesez* Burns, 1996
111. *Cephise aelius* (Plötz, 1880)
112. *Bungalotis midas* (Cramer, [1775])
113. *Bungalotis astylos* (Cramer, [1780])
114. *Bungalotis quadratum quadratum* (Sepp, [1845])
115. *Bungalotis milleri* H.A. Freeman, 1977

116. *Dyscophellus nicephorus* (Hewitson, 1876)
117. *Dyscophellus porcius porcius* (C. Felder & R. Felder, 1862)
118. *Dyscophellus ramon* Evans, 1952
119. *Nascus phintias* Schaus, 1913
120. *Nascus phocus* (Cramer, [1777])
121. *Nascus solon corilla* Evans, 1952
122. *Nascus paullinae* (Sepp, 1848)
123. *Ocyba calathana calanus* (Godman & Salvin, 1894)
124. *Celaenorrhinus monartus* (Plötz, 1884)
125. *Celaenorrhinus fritzgaertneri* (Bailey, 1880)
126. *Celaenorrhinus stola* Evans, 1952
127. *Spathilepia clonius* (Cramer, [1775])
128. *Cogia cajeta cajeta* (Herrich-Schäffer, 1869)
129. *Cogia hippalus hiska* Evans, 1953
130. *Cogia caicus moschus* (W.H. Edwards, 1882)
131. *Cogia calchas* (Herrich-Schäffer, 1869)
132. *Telemiades choricus* (Schaus, 1902)
133. *Telemiades avitus* (Stoll, [1781])
134. *Telemiades fides* Bell, 1949
135. *Arteurotia tractipennis tractipennis* Butler & H. Druce, 1872
136. *Polycitor enops* (Godman & Salvin, 1894)
137. *Polycitor cleta* Evans, 1953
138. *Nisoniades godma* Evans, 1953
139. *Nisoniades laurentina* (R.C. Williams & Bell, 1939)
140. *Nisoniades rubescens* (Möschler, 1877)
141. *Nisoniades ephora* (Herrich-Schäffer, 1870)
142. *Nisoniades macarius* (Herrich-Schäffer, 1870)
143. *Nisoniades castolus* (Hewitson, 1878)
144. *Pachyneuria licisca* (Plötz, 1882)
145. *Pellicia arina* Evans, 1953
146. *Pellicia angra angra* Evans, 1953
147. *Pellicia dimidiata* Herrich-Schäffer, 1870
148. *Noctuana stator* (Godman & Salvin, 1899)
149. *Noctuana lactifera bipuncta* (Plötz, 1884)
150. *Cyclosemia anastomosis* Mabille, 1878
151. *Bolla cylindus* (Godman & Salvin, 1896)
152. *Bolla cybele* Evans, 1953
153. *Bolla cyclops* (Mabille, [1877])
154. *Bolla cupreiceps* (Mabille, 1891)
155. *Bolla subapicatus* (Schaus, 1902)
156. *Bolla evippe* (Godman & Salvin, 1896)
157. *Bolla pullata* Mabille, 1903

158. *Bolla brennus brennus* (Godman & Salvin, 1896)
 159. *Bolla oriza* Evans, 1953
 160. *Bolla guerra* Evans, 1953
 161. *Bolla zorilla* (Plötz, 1886)
 162. *Bolla clytius* (Godman & Salvin, 1897)
 163. *Bolla litus* (Dyar, 1912)
 164. *Staphylus vulgata* (Möschler, 1879)
 165. *Staphylus mazans* (Reakirt, [1867])
 166. *Staphylus ascalaphus* (Staudinger, 1876)
 167. *Staphylus azteca* (Scudder, 1872)
 168. *Diaeus varna* Evans, 1953
 169. *Gorgythion begga pyralina* (Möschler, 1877)
 170. *Gorgythion vox* Evans, 1953
 171. *Ouleus bubaris* (Godman & Salvin, 1895)
 172. *Ouleus calavius* (Godman & Salvin, 1895)
 173. *Ouleus salvina* Evans, 1953
 174. *Zera eboneus* (Bell, 1947)
 175. *Zera hyacinthinus hyacinthinus* (Mabille, 1877)
 176. *Quadrus cerialis* (Stoll, [1782])
 177. *Quadrus anicius* (Godman & Salvin, 1893)
 178. *Quadrus contubernalis* (Mabille, 1883)
 179. *Quadrus lugubris lugubris* (R. Felder, 1869)
 180. *Pythonides jovianus amaryllis* Staudinger, 1876
 181. *Pythonides proxenus* Godman & Salvin, 1895
 182. *Sostrata nordica* Evans, 1953
 183. *Paches loxus gloriosus* Rober, 1925
 184. *Atarnes sallei* (C. Felder & R. Felder, 1867)
 185. *Potamanaxas unifasciata* (C. Felder & R. Felder, 1867)
 186. *Mylon lassia* (Hewitson, [1868])
 187. *Mylon salvia* Evans, 1953
 188. *Mylon menippus* (Fabricius, 1777)
 189. *Mylon pelopidas* (Fabricius, 1793)
 190. *Carrhenes fuscescens fuscescens* (Mabille, 1891)
 191. *Carrhenes calidius* Godman & Salvin, 1895
 192. *Carrhenes canescens canescens* (R. Felder, 1869)
 193. *Carrhenes callipetes* Godman & Salvin, 1895
 194. *Clito clito* (Fabricius, 1787)
 195. *Clito zelotes* (Hewitson, [1873])
 196. *Xenophanes tryxus* (Stoll, [1780])
 197. *Onenses hyalophora* (R. Felder, 1869)
 198. *Antigonus nearchus* (Latreille, [1817])
 199. *Antigonus erosus* (Hübner, [1812])

200. *Antigonus emorsa* (R. Felder, 1869)
201. *Antigonus funebris* (R. Felder, 1869)
202. *Antigonus corrosus* Mabille, 1878
203. *Systasea pulverulenta* (R. Felder, 1869)
204. *Zopyrion sandace* Godman & Salvin, 1896
205. *Anisochoria bacchus* Evans, 1953
206. *Aethilla lavochrea* Butler, 1872
207. *Aethilla echina echina* Hewitson, 1870
208. *Achlyodes busirus heros* Ehrmann, 1909
209. *Achlyodes selva* Evans, 1953
210. *Eantis tamenund* (W.H. Edwards, [1871])
211. *Grais stigmaticus stigmaticus* (Mabille, 1883)
212. *Doberes hewitsonius* (Reakirt, [1867])
213. *Doberes anticus* (Plötz, 1884)
214. *Timochares trifasciata* (Hewitson, [1868])
215. *Timochares ruptifasciata* (Plötz, 1884)
216. *Anastrus sempiternus sempiternus* (Butler & H. Druce, 1872)
217. *Anastrus tolimus tolimus* (Plötz, 1884)
218. *Anastrus robigus* (Plötz, 1884)
219. *Anastrus meliboea meliboea* (Godman & Salvin, 1894)
220. *Anastrus neaeris neaeris* (Möschler, 1879)
221. *Ebrietas osyris* (Staudinger, 1876)
222. *Ebrietas anacreon anacreon* (Staudinger, 1876)
223. *Ebrietas evanidus* Mabille, 1897
224. *Ebrietas sappho* Steinhauser, 1974
225. *Cycloglypha thrasibulus thrasibulus* (Fabricius, 1793)
226. *Helias cama* Evans, 1953
227. *Camptopleura theramenes* Mabille, 1877
228. *Theagenes aegides* (Herrich-Schäffer, 1869)
229. *Chiomara georgina georgina* (Reakirt, 1868)
230. *Chiomara mithrax* (Möschler, 1879)
231. *Gesta invisus* (Butler & H. Druce, 1872)
232. *Erynnis brizo mulleri* (Draudt, 1923)
233. *Erynnis juvenalis clitus* (W.H. Edwards, 1883)
234. *Erynnis scudderi* (Skinner, 1914)
235. *Erynnis tristis tatius* (W.H. Edwards, 1883)
236. *Erynnis pacuvius pacuvius* (Lintner, 1878)
237. *Erynnis funeralis* (Scudder & Burgess, 1870)
238. *Pyrgus communis* (Grote, 1872)
239. *Pyrgus albescens* Plötz, 1884
240. *Pyrgus adepta* Plötz, 1884
241. *Pyrgus oileus* (Linnaeus, 1767)

242. *Heliopyrgus domicella domicella* (Erichson, 1848)
 243. *Heliopyrgus sublinea* Schaus, 1902
 244. *Heliopetes macaira macaira* (Reakirt, [1867])
 245. *Heliopetes laviana laviana* (Hewitson, 1868)
 246. *Heliopetes arsalte* (Linnaeus, 1758)
 247. *Heliopetes alana* (Reakirt, 1868)
 248. *Pholisora mejicanus* (Reakirt, [1867])

Cyclopedinae

249. *Piruna brunnea* (Scudder, 1872)
 250. *Piruna ceracates* (Hewitson, 1874)
 251. *Piruna cyclosticta* (Dyar, 1920)
 252. *Piruna dampfi* (Bell, 1942)
 253. *Piruna microsticta* (Godman, 1900)
 254. *Piruna penaea* (Dyar, 1918)
 255. *Piruna roeveri* (L.D. Miller & J.Y. Miller, 1972)
 256. *Dardarina dardaris* (Hewitson, 1877)
 257. *Dalla ligilla* (Hewitson, 1877)
 258. *Dalla* sp. n.
 259. *Dalla ramirezi* H.A. Freeman, 1969

Hesperiinae

260. *Synapte silius* (Latreille, [1824])
 261. *Synapte pecta* Evans, 1955
 262. *Synapte syraces* (Godman, 1901)
 263. *Synapte shiva* Evans, 1955
 264. *Synapte salenus* (Mabille, 1883)
 265. *Synapte silna* Evans, 1955
 266. *Zariaspes mys* (Hubner, [1808])
 267. *Anthoptus epictetus* (Fabricius, 1793)
 268. *Anthoptus macalpinei* H.A. Freeman, 1969
 269. *Anthoptus insignis* (Plötz, 1882)
 270. *Corticea corticea* (Plötz, 1883)
 271. *Corticea lysias* (Plötz, 1883)
 272. *Vinius tryhana tryhana* (Kaye, 1914)
 273. *Vinpeius tinga* (Evans, 1955)
 274. *Pheraeus covadonga covadonga* H.A. Freeman, 1969
 275. *Callimormus radiola radiola* (Mabille, [1879])
 276. *Callimormus juvenis* Scudder, 1872
 277. *Callimormus saturnus* (Herrich-Schäffer, 1869)
 278. *Eutocus facilis* (Plötz, 1884)
 279. *Virga clenchi* L.D. Miller, 1970
 280. *Eprius veleda veleda* Godman, 1901
 281. *Mnasicles geta* Godman, 1901

282. *Mnasicles bicetaon* Godman, 1901
283. *Methionopsis ina* (Plötz, 1882)
284. *Methionopsis typhon* Godman, 1901
285. *Methion melas* Godman, 1900
286. *Repens florus* (Godman, 1900)
287. *Phanes aletes* (Geyer, [1832])
288. *Monca tyrtaeus* (Plötz, 1883)
289. *Nastra leucone leucone* (Godman, 1900)
290. *Cymaenes alumna* (Butler, 1877)
291. *Cymaenes laureolus laureolus* (Schaus, 1913)
292. *Cymaenes trebius* (Mabille, 1891)
293. *Vehilius inca* (Scudder, 1872)
294. *Vehilius stictomenes illudens* (Mabille, 1891)
295. *Mnasilus allubita* (Butler, 1877)
296. *Mnasinous patage* Godman, 1900
297. *Mnasitheus chrysophrys* (Mabille, 1891)
298. *Moeris striga stroma* Evans, 1955
299. *Moeris hyagnis hyagnis* Godman, 1900
300. *Remella remus* (Fabricius, 1798)
301. *Remella rita* Evans, 1955
302. *Remella duena* Evans, 1955
303. *Remella vopiscus* (Herrich-Schäffer, 1869)
304. *Parphorus decora* (Herrich-Schäffer, 1869)
305. *Papias phainis* Godman, 1900
306. *Papias phaeomelas* (Hübner, [1831])
307. *Papias dictys* Godman, 1900
308. *Papias integra* (Mabille, 1891)
309. *Cobalopsis autumnna* (Plötz, 1883)
310. *Cobalopsis zetus* (Bell, 1942)
311. *Lerema lochius* (Plötz, 1883)
312. *Lerema liris* Evans, 1955
313. *Morys micythus* Godman, 1900
314. *Morys lyde* Godman, 1900
315. *Vettiis fantasos* (Stoll, [1780])
316. *Vettiis onaca* Evans, 1955
317. *Vettiis coryna conka* Evans, 1955
318. *Vettiis tertianus* (Herrich-Schäffer, 1869)
319. *Thoon modius* (Mabille, 1889)
320. *Eutychide complana* (Herrich-Schäffer, 1869)
321. *Eutychide subcordata ochus* Godman, 1900
322. *Eutychide paria* (Plötz, 1882)
323. *Naevolus orius* (Mabille, 1883)

324. *Enosis immaculata immaculata* (Hewitson, [1868])
325. *Enosis achelous* (Plötz, 1882)
326. *Enosis matheri* H.A. Freeman, 1969
327. *Vertica verticalis coatepeca* (Schaus, 1902)
328. *Ebusus ebusus nigrior* L.D. Miller, 1985
329. *Argon argus* (Möschler, 1879)
330. *Talides sergestus* (Cramer, [1775])
331. *Talides alternata* Bell, 1941
332. *Talides cantra* Evans, 1955
333. *Tromba xanthura* (Godman, 1901)
334. *Synale cynaxa* (Hewitson, 1867)
335. *Carystus phorcus phorcus* (Cramer, [1777])
336. *Cobalus fidicula* (Hewitson, 1877)
337. *Damas clavus* (Herrich-Schäffer, 1869)
338. *Carystoides basoches* (Latreille, [1824])
339. *Carystoides lila* Evans, 1955
340. *Carystoides escalantei* H.A. Freeman, 1969
341. *Carystoides abrahami* H.A. Freeman, 1969
342. *Perichares philetus adela* (Hewitson, [1867])
343. *Perichares lotus* (Butler, 1870)
344. *Orses cynisca* (Swainson, 1821)
345. *Lycas argentea* (Hewitson, [1866])
346. *Quinta cannae* (Herrich-Schäffer, 1869)
347. *Cynea irma* (Möschler, 1879)
348. *Cynea megalops* (Godman, 1900)
349. *Cynea diluta* (Herrich-Schäffer, 1869)
350. *Cynea cynea* (Hewitson, 1876)
351. *Cynea anthracinus anthracinus* (Mabille, 1877)
352. *Rhithon osca* (Plötz, 1883)
353. *Mucia zygia* (Plötz, 1886)
354. *Decinea rindgei* H.A. Freeman, 1968
355. *Decinea percossius* (Godman, 1900)
356. *Decinea lucifer* (Hübner, [1831])
357. *Oeonus pyste* Godman, 1900
358. *Orthos lycortas* (Godman, 1900)
359. *Orthos gabina* (Godman, 1900)
360. *Conga chydaea* (Butler, 1877)
361. *Ancyloxypha arene* (W.H. Edwards, [1871])
362. *Oarisma garita calega* (Godman, 1900)
363. *Oarisma edwardsii* (Barnes, 1897)
364. *Oarisma era* Dyar, 1927
365. *Copaeodes minima* (W.H. Edwards, 1870)

366. *Adopaeoides prittwitzii* (Plötz, 1884)
367. *Hylephila phyleus phyleus* (Drury, [1773])
368. *Atalopedes campestris huron* (W.H. Edwards, 1863)
369. *Polites rhesus* (W.H. Edwards, 1878)
370. *Polites subreticulata* (Plötz, 1883)
371. *Polites vibex praeceps* (Scudder, 1872)
372. *Wallengrenia otho* (J.E. Smith, 1797)
373. *Pompeius pompeius* (Latreille, [1824])
374. *Anatrytone mazai* (H.A. Freeman, 1969)
375. *Anatrytone mella* (Godman, 1900)
376. *Poanes zabulon* (Boisduval & LeConte, [1837])
377. *Poanes inimica* (Butler & H.Druce, 1872)
378. *Poanes melane vitellina* (Herrich-Schäffer, 1869)
379. *Poanes monticola* (Godman, 1900)
380. *Paratrytone rhexenor* Godman, 1900
381. *Paratrytone aphractioia* Dyar, 1914
382. *Paratrytone gala* (Godman, 1900)
383. *Paratrytone* sp. n.
384. *Quasimellana mexicana* (Bell, 1942)
385. *Quasimellana eulogius* (Plötz, 1883)
386. *Quasimellana mulleri* (Bell, 1942)
387. *Quasimellana andersoni* Burns, 1994
388. *Quasimellana myron* (Godman, 1900)
389. *Quasimellana feldi* (Bell, 1942)
390. *Librita librita* (Plötz, 1886)
391. *Euphyes peneia* (Godman, 1900)
392. *Metron chrysogastra chrysogastra* (Butler, 1870)
393. *Atrytonopsis edwardsi* Barnes & McDunnough, 1916
394. *Amblyscirtes folia* Godman, 1900
395. *Amblyscirtes exoteria* (Herrich-Schäffer, 1869)
396. *Amblyscirtes tolteca tolteca* Scudder, 1872
397. *Amblyscirtes fimbriata fimbriata* (Plötz, 1882)
398. *Amblyscirtes anubis* (Godman, 1900)
399. *Lerodea eufala eufala* (W.H. Edwards, 1869)
400. *Lerodea arabus* (W.H. Edwards, 1882)
401. *Calpodes ethlius* (Stoll, [1782])
402. *Panoquina panoquinoides panoquinoides* (Skinner, 1891)
403. *Panoquina ocola ocola* (W.H. Edwards, 1863)
404. *Panoquina hecebolus* (Scudder, 1872)
405. *Panoquina* sp.
406. *Panoquina evansi* (H.A. Freeman, 1946)
407. *Panoquina pauper pauper* (Mabille, 1878)

408. *Panoquina evadnes* (Stoll, [1781])
 409. *Zenis janka* Evans, 1955
 410. *Tiryntia conflua* (Herrich-Schäffer, 1869)
 411. *Nyctelius nyctelius nyctelius* (Latreille, [1824])
 412. *Thespieus dalman* (Latreille, [1824])
 413. *Thespieus macareus* (Herrich-Schäffer, 1869)
 414. *Thespieus aspernatus* Draudt, 1924
 415. *Vacerra litana* (Hewitson, [1866])
 416. *Vacerra gayra* (Dyar, 1918)
 417. *Vacerra* sp. n.
 418. *Oxyntes corusca* (Herrich-Schäffer, 1869)
 419. *Niconiades incomptus* Austin, 1997
 420. *Niconiades comitana* H.A. Freeman, 1969
 421. *Niconiades nikko* Hayward, 1948
 422. *Niconiades viridis vista* Evans, 1955
 423. *Aides dysoni* Godman, 1900
 424. *Aides brilla* (H.A. Freeman, 1970)
 425. *Saliana triangularis* (Kaye, 1914)
 426. *Saliana fusta* Evans, 1955
 427. *Saliana hewitsoni* (Riley, 1926)
 428. *Saliana esperi esperi* Evans, 1955
 429. *Saliana antoninus* (Latreille, [1824])
 430. *Saliana longirostris* (Sepp, 1840)
 431. *Saliana salius* (Cramer, [1775])
 432. *Saliana saladin saladin* Evans, 1955
 433. *Thracides phidon* (Cramer, [1779])
 434. *Neoxeniades molion* (Godman, 1901)
 435. *Neoxeniades luda* (Hewitson, 1877)
 436. *Aegiale hesperiaris* (Walker, 1856)
 437. *Agathymus rethon* (Dyar, 1913)
- Papilionoidea**
Papilionidae
Papilioninae
438. *Protographium agesilaus neosilaus* (Hopffer, 1865)
 439. *Protographium calliste calliste* (H.W. Bates, 1864)
 440. *Protographium dioxippus lacandones* (H.W. Bates, 1864)
 441. *Protographium epidaus epidaus* (Doubleday, 1846)
 442. *Protographium philolaus philolaus* (Boisduval, 1836)
 443. *Protographium thyastes marchandii* (Boisduval, 1836)
 444. *Eurytides salvini* (H.W. Bates, 1864)
 445. *Protesilaus macrosilaus penthesilaus* (C. Felder & R. Felder, 1865)
 446. *Mimoides ilus branchus* (Doubleday, 1846)

447. *Mimoides phaon phaon* (Boisduval, 1836)
448. *Mimoides thymbraeus thymbraeus* (Boisduval, 1836)
449. *Battus ingenuus* (Dyar, 1907)
450. *Battus laodamas copanae* (Reakirt, 1863)
451. *Battus lycidas* (Cramer, 1777)
452. *Battus philenor philenor* (Linnaeus, 1771)
453. *Battus polydamas polydamas* (Linnaeus, 1758)
454. *Parides erithalion polyzelus* (C. Felder & R. Felder, 1865)
455. *Parides eurimedes mylotes* (H.W. Bates, 1861)
456. *Parides iphidamas iphidamas* (Fabricius, 1793)
457. *Parides montezuma* (Westwood, 1842)
458. *Parides panares panares* (Gray, [1853])
459. *Parides panares lycimenes* (Boisduval, 1870)
460. *Parides photinus* (Doubleday, 1844)
461. *Parides sesostris zestos* (Gray, [1853])
462. *Heraclides anchisiades idaeus* (Fabricius, 1793)
463. *Heraclides androgeus epidaurus* (Godman & Salvin, 1890)
464. *Heraclides astyalus pallas* (Gray, [1853])
465. *Heraclides cresphontes* (Cramer, 1777)
466. *Heraclides erostratus erostratinus* (Vázquez, 1947)
467. *Heraclides ornythion ornythion* (Boisduval, 1836)
468. *Heraclides rogeri pharnaces* (Doubleday, 1846)
469. *Heraclides thoas autocles* (Rothschild & Jordan, 1906)
470. *Heraclides torquatus tolus* (Godman & Salvin, 1890)
471. *Papilio polyxenes asterius* Stoll, 1782
472. *Pterourus garamas abderus* (Hopffer, 1856)
473. *Pterourus glaucus alexiaries* (Hopffer, 1865)
474. *Pterourus menatius victorinus* (Doubleday, 1844)
475. *Pterourus multicaudata multicaudata* (W.F. Kirby, 1884)
476. *Pterourus pilumnus* (Boisduval, 1836)

Pieridae

Dismorphiinae

477. *Dismorphia amphione praxinoe* (Doubleday, 1844)
478. *Dismorphia crisia virgo* (H.W. Bates, 1864)
479. *Dismorphia eunoe eunoe* (Doubleday, 1844)
480. *Dismorphia eunoe popoluca* Llorente & Luis, 1988
481. *Dismorphia theucharila fortunata* (Lucas, 1854)
482. *Enantia albania albania* (H.W. Bates, 1864)
483. *Enantia jethys* (Boisduval, 1836)
484. *Enantia lina marion* Godman & Salvin, 1889
485. *Enantia mazai mazai* Llorente, 1984
486. *Lieinix nemesis atthis* (Doubleday, 1842)

Coliadinae

487. *Colias eurytheme* Boisduval, 1852
 488. *Zerene cesonia cesonia* (Stoll, 1790)
 489. *Anteos clorinde* (Godart, [1824])
 490. *Anteos maerula* (Fabricius, 1775)
 491. *Phoebis agarithe agarithe* (Boisduval, 1836)
 492. *Phoebis argante* ssp. n.
 493. *Phoebis neocypris virgo* (Butler, 1870)
 494. *Phoebis philea philea* (Linnaeus, 1763)
 495. *Phoebis sennae marcellina* (Cramer, 1777)
 496. *Rhabdodryas trite* ssp. n.
 497. *Aphrissa boisduvalii* (C. Felder & R. Felder, 1861)
 498. *Aphrissa schausi* (Avinoff, 1926)
 499. *Aphrissa statira statira* (Cramer, 1777)
 500. *Abaeis nicippe* (Cramer, 1779)
 501. *Pyrisitia dina westwoodi* (Boisduval, 1836)
 502. *Pyrisitia lisa centralis* (Herrich-Schäffer, 1865)
 503. *Pyrisitia nise nelphe* (R. Felder, 1869)
 504. *Pyrisitia proterpia* (Fabricius, 1775)
 505. *Eurema agave millerorum* Llorente & Luis, 1987
 506. *Eurema albula celata* (R. Felder, 1869)
 507. *Eurema arbela boisduvaliana* (C. Felder & R. Felder, 1865)
 508. *Eurema dairia eugenia* (Wallengren, 1860)
 509. *Eurema mexicana mexicana* (Boisduval, 1836)
 510. *Eurema salome jamapa* (Reakirt, 1866)
 511. *Eurema xantochlora xantochlora* (Kollar, 1850)
 512. *Nathalis iole* Boisduval, 1836
 513. *Kricogonia lyside* (Godart, 1819)

Pierinae

514. *Anthocharis limonea* (Butler, 1871)
 515. *Hesperocharis costaricensis pasion* (Reakirt, [1867])
 516. *Hesperocharis crocea crocea* H.W. Bates, 1866
 517. *Hesperocharis graphites avivolans* (Butler, 1865)
 518. *Euheira socialis socialis* Westwood, 1834
 519. *Archonias brassolis approximata* (Butler, 1873)
 520. *Charonias eurytele nigrescens* (Salvin & Godman, 1868)
 521. *Catasticta flisa flisa* (Herrich-Schäffer, [1858])
 522. *Catasticta nimbice nimbice* (Boisduval, 1836)
 523. *Catasticta nimbice* ssp. n.
 524. *Catasticta teutila teutila* (Doubleday, 1847)
 525. *Pereute charops charops* (Boisduval, 1836)
 526. *Melete lycimnia isandra* (Boisduval, 1836)

527. *Glutophrissa drusilla tenuis* (Lamas, 1981)
528. *Pieris rapae rapae* (Linnaeus, 1758)
529. *Pontia protodice* (Boisduval & Leconte, [1830])
530. *Leptophobia aripa elodia* (Boisduval, 1836)
531. *Itaballia demophile centralis* Joicey & Talbot, 1928
532. *Itaballia pandosia kicaha* (Reakirt, 1863)
533. *Pieriballia viardi viardi* (Boisduval, 1836)
534. *Ascia monuste monuste* (Linnaeus, 1764)
535. *Ganyra josephina josepha* (Salvin & Godman, 1868)
536. *Ganyra phaloe tiburtia* (Fruhstorfer, 1907)

Lycaenidae

Theclinae

537. *Eumaeus childrenae* (Gray, 1832)
538. *Eumaeus toxea* (Godart, [1824])
539. *Theorema eumenia* Hewitson, 1865
540. *Paiwarria antinous* (C. Felder & R. Felder, 1865)
541. *Paiwarria umbratus* (Geyer, 1837)
542. *Brangas neora* (Hewitson, 1867)
543. *Brangas coccineifrons* (Godman & Salvin, 1887)
544. *Brangas carthaea* (Hewitson, 1868)
545. *Brangas getus* (Fabricius, 1787)
546. *Thaeides theia* (Hewitson, 1870)
547. *Enos thara* (Hewitson, 1867)
548. *Evenus regalis* (Cramer, 1775)
549. *Evenus coronata* (Hewitson, 1865)
550. *Evenus batesii* (Hewitson, 1865)
551. *Atlides halesus* (Cramer, 1777)
552. *Atlides gaumeri* (Godman, 1901)
553. *Atlides polybe* (Linnaeus, 1763)
554. *Atlides inachus* (Cramer, 1775)
555. *Atlides carpasia* (Hewitson, 1868)
556. *Arcas imperialis* (Cramer, 1775)
557. *Arcas cypria* (Geyer, 1837)
558. *Pseudolycaena damo* (H. Druce, 1875)
559. *Theritas mavors* Hübner, 1818
560. *Theritas augustinula* (Goodson, 1945)
561. *Theritas theocritus* (Fabricius, 1793)
562. *Theritas lisus* (Stoll, 1790)
563. *Brevianta busa* (Godman & Salvin, 1887)
564. *Brevianta tolmidis* (C. Felder & R. Felder, 1865)
565. *Micandra cyda* (Godman & Salvin, 1887)
566. *Ipidecla miadora* Dyar, 1916

567. *Ipidecla schausi* (Godman & Salvin, 1887)
568. *Thereus cithonius* (Godart, [1824])
569. *Thereus oppia* (Godman & Salvin, 1887)
570. *Thereus orasus* (Godman & Salvin, 1887)
571. *Thereus ortalus* (Godman & Salvin, 1887)
572. *Rekoa meton* (Cramer, 1779)
573. *Rekoa palegon* (Cramer, 1780)
574. *Rekoa zebina* (Hewitson, 1869)
575. *Rekoa marius* (Lucas, 1857)
576. *Rekoa stagira* (Hewitson, 1867)
577. *Arawacus togarna* (Hewitson, 1867)
578. *Arawacus sito* (Boisduval, 1836)
579. *Arawacus jada* (Hewitson, 1867)
580. *Arawacus hypocrita* (Schaus, 1913)
581. *Contrafacia bassania* (Hewitson, 1868)
582. *Contrafacia abola* (Hewitson, 1867)
583. *Contrafacia imma* (Prittwitz, 1865)
584. *Kolana ligurina* (Hewitson, 1874)
585. *Kolana lyde* (Godman & Salvin, 1887)
586. *Ocaria arpoxis* (Godman & Salvin, 1887)
587. *Ocaria petelina* (Hewitson, 1877)
588. *Ocaria thales* (Fabricius, 1793)
589. *Ocaria ocrisia* (Hewitson, 1868)
590. *Chlorostrymon simaethis* (Drury, 1773)
591. *Chlorostrymon telea* (Hewitson, 1868)
592. *Magnastigma elsa* (Hewitson, 1877)
593. *Cyanophrys goodsoni* (Clench, 1946)
594. *Cyanophrys amyntor* (Cramer, 1775)
595. *Cyanophrys fusius* (Godman & Salvin, 1887)
596. *Cyanophrys herodotus* (Fabricius, 1793)
597. *Cyanophrys miserabilis* (Clench, 1946)
598. *Cyanophrys longula* (Hewitson, 1868)
599. *Cyanophrys agricolor* (Butler & H. Druce, 1872)
600. *Callophrys xami* (Reakirt, [1867])
601. *Megathecla cupentus* (Stoll, 1781)
602. *Lathecla latagus* (Godman & Salvin, 1887)
603. *Allosmaitia strophius* (Godart, [1824])
604. *Laothus erybathis* (Hewitson, 1867)
605. *Laothus oceia* (Godman & Salvin, 1887)
606. *Laothus barajo* (Reakirt, [1867])
607. *Janthecla janthodonia* (Dyar, 1918)
608. *Janthecla janthina* (Hewitson, 1867)

609. *Lamprospilus collucia* (Hewitson, 1877)
610. *Lamprospilus arza* (Hewitson, 1874)
611. *Lamprospilus tarpa* (Godman & Salvin, 1887)
612. *Lamprospilus sethon* (Godman & Salvin, 1887)
613. *Arumecla galliena* (Hewitson, 1877)
614. *Camissecla vespasianus* (Butler & H. Druce, 1872)
615. *Ziegleria hesperitis* (Butler & H. Druce, 1872)
616. *Ziegleria ceromia* (Hewitson, 1877)
617. *Ziegleria syllis* (Godman & Salvin, 1887)
618. *Ziegleria denarius* (Butler & H. Druce, 1872)
619. *Ziegleria guzanta* (Schaus, 1902)
620. *Electrostrymon mathewi* (Hewitson, 1874)
621. *Electrostrymon sangala* (Hewitson, 1868)
622. *Electrostrymon joya* (Dognin, 1895)
623. *Calycopsis tamos* (Godman & Salvin, 1887)
624. *Calycopsis clarina* (Hewitson, 1874)
625. *Calycopsis demonassa* (Hewitson, 1868)
626. *Calycopsis calus* (Godart, [1824])
627. *Calycopsis isobeon* (Butler & H. Druce, 1872)
628. *Calycopsis bactra* (Hewitson, 1877)
629. *Calycopsis trebula* (Hewitson, 1868)
630. *Calycopsis pisis* (Godman & Salvin, 1887)
631. *Strymon melinus* (Hübner, [1813])
632. *Strymon rufofusca* (Hewitson, 1877)
633. *Strymon albata* (C. Felder & R. Felder, 1865)
634. *Strymon alea* (Godman & Salvin, 1887)
635. *Strymon bebrycia* (Hewitson, 1868)
636. *Strymon yojoa* (Reakirt, [1867])
637. *Strymon mulucha* (Hewitson, 1867)
638. *Strymon cestri* (Reakirt, [1867])
639. *Strymon astiocha* (Prittwitz, 1865)
640. *Strymon bazochii* (Godart, [1824])
641. *Strymon istapa* (Reakirt, [1867])
642. *Strymon serapio* (Godman & Salvin, 1887)
643. *Strymon gabatha* (Hewitson, 1870)
644. *Strymon megarus* (Godart, [1824])
645. *Strymon ziba* (Hewitson, 1868)
646. *Tmolus echion* (Linnaeus, 1767)
647. *Tmolus crolinus* Butler & H. Druce, 1872
648. *Tmolus cydrara* (Hewitson, 1868)
649. *Nicolaea velina* (Hewitson, 1868)
650. *Nicolaea heraldica* (Dyar, 1914)

651. *Ministrymon clytie* (W.H. Edwards, 1877)
652. *Ministrymon arola* (Hewitson, 1868)
653. *Ministrymon zilda* (Hewitson, 1873)
654. *Ministrymon inoa* (Godman & Salvin, 1887)
655. *Ministrymon phrutus* (Geyer, 1832)
656. *Ministrymon azia* (Hewitson, 1873)
657. *Ministrymon una* (Hewitson, 1873)
658. *Gargina gargophia* (Hewitson, 1877)
659. *Gargina caninius* (H.H. Druce, 1907)
660. *Gargina gnosia* (Hewitson, 1868)
661. *Gargina thoria* (Hewitson, 1869)
662. *Siderus philinna* (Hewitson, 1868)
663. *Theclopsis mycon* (Godman & Salvin, 1887)
664. *Ostrinotes halciones* (Butler & H.Druce, 1872)
665. *Ostrinotes keila* (Hewitson, 1869)
666. *Strephonota tephraeus* (Geyer, 1837)
667. *Strephonota syedra* (Hewitson, 1867)
668. *Strephonota ambrax* (Westwood, 1852)
669. *Panthiades bitias* (Cramer, 1777)
670. *Panthiades ochus* (Godman & Salvin, 1887)
671. *Panthiades bathildis* (C. Felder & R. Felder, 1865)
672. *Panthiades phaleros* (Linnaeus, 1767)
673. *Thepytus echelta* (Hewitson, 1867)
674. *Oenomaus ortygnus* (Cramer, 1779)
675. *Oenomaus atesa* (Hewitson, 1867)
677. *Parrhasius orgia* (Hewitson, 1867)
678. *Parrhasius moctezuma* (Clench, 1971)
679. *Michaelus phoenissa* (Hewitson, 1867)
680. *Michaelus jebus* (Godart, [1824])
681. *Michaelus thordesa* (Hewitson, 1867)
682. *Michaelus hecate* (Godman & Salvin, 1887)
683. *Michaelus ira* (Hewitson, 1867)
684. *Ignata gadira* (Hewitson, 1867)
685. *Ignata* sp. n.
686. *Ignata norax* (Godman & Salvin, 1887)
687. *Apuecla maeonis* (Godman & Salvin, 1887)
688. *Nesiostrymon calchinia* (Hewitson, 1868)
689. *Nesiostrymon celona* (Hewitson, 1874)
690. *Nesiostrymon dodava* (Hewitson, 1877)
691. *Aubergina paetus* (Godman & Salvin, 1887)
692. *Aubergina hicetas* (Godman & Salvin, 1887)
693. *Aubergina* sp.n.

694. *Iaspis* sp. n.
695. *Celmia celmus* (Cramer, 1775)
696. *Celmia conoveria* (Schaus, 1902)
697. *Dicya dicaea* (Hewitson, 1874)
698. *Dicya carnica* (Hewitson, 1873)
699. *Dicya lucagus* (Godman & Salvin, 1887)
700. *Eroria quaderna* (Hewitson, 1868)
701. *Eroria subfloreus* (Schaus, 1913)
702. *Eroria nitetis* (Godman & Salvin, 1887)
703. *Eroria aura* (Godman & Salvin, 1887)
704. *Eroria carla* (Schaus, 1902)
705. *Eroria gabina* (Godman & Salvin, 1887)
706. *Eroria opisena* (H.H. Druce, 1912)
707. *Eroria muridosca* (Dyar, 1918)
708. *Semonina semones* (Godman & Salvin, 1887)
709. *Chalybs jantias* (Cramer, 1779)
710. *Chalybs hassan* (Stoll, 1790)

Polyommatae

711. *Leptotes cassius cassidula* (Boisduval, 1870)
712. *Leptotes marina* (Reakirt, 1868)
713. *Zizula cyna* (W.H. Edwards, 1881)
714. *Brephidium exilis exilis* (Boisduval, 1852)
715. *Cupido comyntas* (Godart, [1824])
716. *Celastrina argiolus gozora* (Boisduval, 1870)
717. *Hemiargus hanno antibubastus* Hübner, [1818]
718. *Echinargus huntingtoni hannoides* (Clench, 1965)
719. *Echinargus isola* (Reakirt, [1867])
720. *Aricia acmon* (Westwood, [1851])

Riodinidae

Euselasiinae

721. *Euselasia cataleuca* (R. Felder, 1869)
722. *Euselasia sergia* (Godman & Salvin, 1885)
723. *Euselasia procula* (Godman & Salvin, 1885)
724. *Euselasia hieronymi hieronymi* (Salvin & Godman, 1868)
725. *Euselasia inconspicua* (Godman & Salvin, 1878)
726. *Euselasia pusilla pusilla* (R. Felder, 1869)
727. *Euselasia eubule eubule* (R. Felder, 1869)
728. *Euselasia aurantiaca aurantiaca* (Salvin & Godman, 1868)
729. *Hades noctula* Westwood, 1851

Riodininae

730. *Mesosemia lamachus* Hewitson, 1857
731. *Mesosemia gaudiolum* H.W. Bates, 1865

732. *Mesosemia gemina* J. Maza & R.G. Maza, 1980
 733. *Leucochimona vestalis vestalis* (H.W. Bates, 1865)
 734. *Leucochimona lepida nivalis* (Godman & Salvin, 1885)
 735. *Perophtalma lasus* Westwood, 1851
 736. *Hermathena oweni* Schaus, 1913
 737. *Napaea eucharila picina* Stichel, 1910
 738. *Napaea umbra* (Boisduval, 1870)
 739. *Napaea theages theages* (Godman & Salvin, 1878)
 740. *Cremna thasus subrutula* Stichel, 1910
 741. *Eurybia lycisca* Westwood, [1851]
 742. *Eurybia elvina elvina* Stichel, 1910
 743. *Ancyluris jurgensenii jurgensenii* (Saunders, 1850)
 744. *Ancyluris inca inca* (Saunders, 1850)
 745. *Rhetus arcus thia* (Morisse, 1838)
 746. *Rhetus periander naevianus* Stichel, 1910
 747. *Isapis agyrtus hera* Godman & Salvin, 1886
 748. *Brachyglenis dodone* (Godman & Salvin, 1886)
 749. *Notheme erota diadema* Stichel, 1910
 750. *Chalodeta chaonitis* (Hewitson, 1866)
 751. *Pheles melanchroia* (C. Felder & R. Felder, 1865)
 752. *Pheles strigosa strigosa* (Staudinger, 1876)
 753. *Pheles eulesca* (Dyar, 1909)
 754. *Chamaelimnas cydonia* Stichel, 1910
 755. *Detritivora zama* H.W. Bates, 1868
 756. *Calephelis laverna laverna* (Godman & Salvin, 1886)
 757. *Calephelis argyrodines* (H.W. Bates, 1866)
 758. *Calephelis nemesis australis* (W.H. Edwards, 1877)
 759. *Calephelis perditalis donabuei* McAlpine, 1971
 760. *Calephelis mexicana* McAlpine, 1971
 761. *Calephelis fulmen* Stichel, 1910
 762. *Calephelis sinaloensis nuevoleon* McAlpine, 1971
 763. *Calephelis stallingsi* McAlpine, 1971
 764. *Calephelis huasteca* McAlpine, 1971
 765. *Calephelis montezuma* McAlpine, 1971
 766. *Calephelis azteca* McAlpine, 1971
 767. *Calephelis yucatanana* McAlpine, 1971
 768. *Calephelis velutina* (Godman & Salvin, 1878)
 769. *Caria ino melicerta* Schaus, 1890
 770. *Caria domitianus vejento* Clench, 1967
 771. *Caria rhacotis* (Godman & Salvin, 1878)
 772. *Caria stillaticia* Dyar, 1912
 773. *Caria melino* Dyar, 1912

774. *Baeotis zonata zonata* R. Felder, 1869
775. *Baeotis sulphurea sulphurea* (R. Felder, 1869)
776. *Lasaia meris* (Stoll, 1781)
777. *Lasaia sula sula* Staudinger, 1888
778. *Lasaia agesilas callaina* Clench, 1972
779. *Lasaia sessilis* Schaus, 1890
780. *Lasaia maria anna* Clench, 1972
781. *Melanis pixe pixe* (Boisduval, 1836)
782. *Melanis cephise cephise* (Ménétriés, 1855)
783. *Melanis cephise acroleuca* (R. Felder, 1869)
784. *Melanis cephise huasteca* J. White & A. White, 1989
785. *Mesene phareus* (Cramer, 1777)
786. *Mesene croceella* H.W. Bates, 1865
787. *Mesene margaretta* (A. White, 1843)
788. *Esthemopsis alicia alicia* (H.W. Bates, 1865)
789. *Esthemopsis pherephatte* (Godart, [1824])
790. *Symmachia probetor championi* Godman & Salvin, 1886
791. *Symmachia rubina rubina* H.W. Bates, 1866
792. *Symmachia accusatrix* Westwood, 1851
793. *Symmachia tricolor* Hewitson, 1867
794. *Pirascca tyriotes* (Godman & Salvin, 1878)
795. *Sarota chrysus* (Stoll, 1781)
796. *Sarota craspediodonta* (Dyar, 1918)
797. *Sarota psaros psaros* Godman & Salvin, 1886
798. *Sarota gamelia gamelia* Godman & Salvin, 1886
799. *Sarota gyas* (Cramer, 1775)
800. *Sarota myrtea* Godman & Salvin, 1886
801. *Anteros chrysoprasta roratus* Godman & Salvin, 1886
802. *Anteros carausius carausius* Westwood, 1851
803. *Calydna sturnula* (Geyer, 1837)
804. *Emesis aurimna* (Boisduval, 1870)
805. *Emesis saturata* Godman & Salvin, 1886
806. *Emesis liodes* Godman & Salvin, 1886
807. *Emesis mandana furor* Butler & H. Druce, 1872
808. *Emesis tegula* Godman & Salvin, 1886
809. *Emesis vulpina* Godman & Salvin, 1886
810. *Emesis fatimella nobilata* Stichel, 1910
811. *Emesis tenedia* C. Felder & R. Felder, 1861
812. *Emesis lupina lupina* Godman & Salvin, 1886
813. *Emesis zela zela* Butler, 1870
814. *Emesis emesia* (Hewitson, 1867)
815. *Emesis cypria paphia* R. Felder, 1869

816. *Emesis toltec* Reakirt, 1866
 817. *Argyrogrammana stilbe holosticta* (Godman & Salvin, 1878)
 818. *Pseudonymphidia clearista* (Butler, 1871)
 819. *Pseudonymphidia agave agave* (Godman & Salvin, 1886)
 820. *Pachythone gigas gigas* Godman & Salvin, 1878
 821. *Apodemia multiplaga* Schaus, 1902
 822. *Apodemia hypoglauca hypoglauca* (Godman & Salvin, 1878)
 823. *Apodemia walkeri* Godman & Salvin, 1886
 824. *Lemonias caliginea* (Butler, 1867)
 825. *Thisbe irenea belides* Stichel, 1910
 826. *Thisbe lycorias* (Hewitson, [1853])
 827. *Juditha molpe* (Hübner, [1808])
 828. *Synargis mycone* (Hewitson, 1865)
 829. *Synargis nymphidioides* ssp. n.
 830. *Periplacis glaucoma isthmica* (Godman & Salvin, 1878)
 831. *Menander menander purpurata* (Godman & Salvin, 1878)
 832. *Calospila pelarge* (Godman & Salvin, 1878)
 833. *Hypophylla zeurippa* Boisduval, 1836
 834. *Hypophylla sudias sudias* (Hewitson, [1858])
 835. *Calociasma nycteus* (Godman & Salvin, 1886)
 836. *Calicosama lilina* (Butler, 1870)
 837. *Behemothia godmanii* (Dewitz, 1877)
 838. *Theope pseudopedias* J. Hall, 1999
 839. *Theope pedias* Herrich-Schäffer, [1853]
 840. *Theope cratylus* Godman & Salvin, 1886
 841. *Theope virgilius* (Fabricius, 1793)
 842. *Theope eupolis* Schaus, 1890
 843. *Theope publius incompositus* J. Hall, 1999
 844. *Theope bacenis* Schaus, 1890

Nymphalidae**Libytheinae**

845. *Libytheana carinenta mexicana* Michener, 1943

Danainae

846. *Anetia thirza thirza* Geyer, [1833]
 847. *Lycorea halia atergatis* Doubleday, [1847]
 848. *Lycorea ilione albescens* (Distant, 1876)
 849. *Danaus eresimus montezuma* Talbot, 1943
 850. *Danaus gilippus thersippus* (H.W. Bates, 1863)
 851. *Danaus plexippus plexippus* (Linnaeus, 1758)

Ithomiinae

852. *Tithorea harmonia hippothous* Godman & Salvin, 1879
 853. *Tithorea tarricina duenna* H.W. Bates, 1864

854. *Aeria eurimedia pacifica* Godman & Salvin, 1879
 855. *Olyras theon* H.W. Bates, 1866
 856. *Melinaea lilis imitata* H.W. Bates, 1864
 857. *Mechanitis lysimnia utemaia* Reakirt, 1866
 858. *Mechanitis menapis doryssus* H.W. Bates, 1864
 859. *Mechanitis polymnia lycidice* H.W. Bates, 1864
 860. *Napeogenes tolosa tolosa* (Hewitson, 1855)
 861. *Hypothyris euclea valora* (Haensch, 1909)
 862. *Hypothyris lycaste dionaea* (Hewitson, 1854)
 863. *Ithomia leila* Hewitson, 1852
 864. *Ithomia patilla* Hewitson, 1852
 865. *Hyposcada virginiana virginiana* (Hewitson, [1855])
 866. *Oleria paula* (Weymer, 1883)
 867. *Oleria zea zea* (Hewitson, [1855])
 868. *Ceratinia tutia* ssp. n.
 869. *Callithomia hezia hedila* Godman & Salvin, 1879
 870. *Dircenna dero* ssp. n.
 871. *Dircenna jemina* ssp. n.
 872. *Dircenna klugii klugii* (Geyer, 1837)
 873. *Episcada salvinia salvinia* (H.W. Bates, 1864)
 874. *Pteronymia artena artena* (Hewitson, [1855])
 875. *Pteronymia cotytto cotytto* (Guérin-Méneville, [1844])
 876. *Pteronymia simplex fenochioi* Lamas, 1978
 877. *Godyris nero nero* (Hewitson, [1855])
 878. *Godyris zavaleta sosunga* (Reakirt, [1866])
 879. *Hypoleria lavinia cassotis* (H.W. Bates, 1864)
 880. *Greta andromica lyra* (Salvin, 1869)
 881. *Greta annette annette* (Guérin-Méneville, [1844])
 882. *Greta morgane oto* (Hewitson, [1855])

Morphinae

883. *Morpho helenor montezuma* Guenée, 1859
 884. *Morpho polyphemus polyphemus* Westwood, [1850]
 885. *Morpho polyphemus luna* Butler, 1869
 886. *Morpho theseus oaxacensis* Le Moults & Réal, 1962
 887. *Morpho theseus* ssp. n.
 888. *Caligo oedipus fruhstorferi* Stichel, 1904
 889. *Caligo telamonius memnon* (C. Felder & R. Felder, 1867)
 890. *Caligo uranus* Herrich-Schäffer, 1850
 891. *Dynastor macrosiris strix* (H.W. Bates, 1864)
 892. *Eryphanis aesacus aesacus* (Herrich-Schäffer, 1850)
 893. *Opsiphanes boisduvallii* Doubleday, [1849]
 894. *Opsiphanes cassiae mexicana* Bristow, 1991

895. *Opsiphanes cassina fabricii* (Boisduval, 1870)
 896. *Opsiphanes quiteria quirinus* Godman & Salvin, 1881
 897. *Opsiphanes tamarindi tamarindi* C. Felder & R. Felder, 1861
 898. *Narope minor* Casagrande, 2002
 899. *Narope testacea* Godman & Salvin, 1878

Satyrinae

900. *Pierella luna rubecula* Salvin & Godman, 1868
 901. *Manataria hercyna maculata* (Hopffer, 1874)
 902. *Oxeoschistus tauropolis tauropolis* (Westwood, [1850])
 903. *Pedaliodes circumducta* Thieme, 1905
 904. *Pedaliodes dejecta dejecta* (H.W. Bates, 1865)
 905. *Cepheuptychia glaucina* (H.W. Bates, 1864)
 906. *Chloreuptychia sericeella* (H.W. Bates, 1864)
 907. *Cissia cleophes* (Godman & Salvin, 1889)
 908. *Cissia confusa* (Staudinger, 1887)
 909. *Cissia labe* (Butler, 1870)
 910. *Cissia pompilia* (C. Felder & R. Felder, 1867)
 911. *Cissia pseudoconfusa* Singer, DeVries & Ehrlich, 1983
 912. *Cissia similis* (Butler, 1867)
 913. *Cissia themis* (Butler, 1867)
 914. *Cissia undina* (Butler, 1870)
 915. *Cissia* sp.
 916. *Cyllopsis caballeri* Beutelspacher, 1982
 917. *Cyllopsis gemma freemani* (Stallings & J.R. Turner, 1947)
 918. *Cyllopsis hedemanni tamaulipensis* L.D. Miller, 1974
 919. *Cyllopsis henshawi hoffmanni* L.D. Miller, 1974
 920. *Cyllopsis hilaria* (Godman, 1901)
 921. *Cyllopsis jacquelineae* L.D. Miller, 1974
 922. *Cyllopsis nayarit* (R.L. Chermock, 1947)
 923. *Cyllopsis pephredo* (Godman, 1901)
 924. *Cyllopsis perplexa* L.D. Miller, 1974
 925. *Cyllopsis pertepida pertepida* (Dyar, 1912)
 926. *Cyllopsis pyracmon pyracmon* (Butler, 1867)
 927. *Cyllopsis suivalens suivalens* (Dyar, 1914)
 928. *Cyllopsis windi* L.D. Miller, 1974
 929. *Euptychia fetna* Butler, 1870
 930. *Euptychia jesia* Butler, 1869
 931. *Euptychia westwoodi* Butler, 1867
 932. *Forsterinaria neonympha* (C. Felder & R. Felder, 1867)
 933. *Hermeuptychia hermes* (Fabricius, 1775)
 934. *Magneuptychia alcinoe* (C. Felder & R. Felder, 1867)
 935. *Magneuptychia libye* (Linnaeus, 1767)

936. *Megeuptychia antonoe* (Cramer, 1775)
 937. *Megisto rubricata anabelae* L.D. Miller, 1976
 938. *Paramacera xicaque xicaque* (Reakirt, [1867])
 939. *Pareuptychia metaleuca metaleuca* (Boisduval, 1870)
 940. *Pareuptychia ocirrhoe* ssp. n.
 941. *Pindis squamistriga* R. Felder, 1869
 942. *Pseudodebis zimri* (Butler, 1869)
 943. *Satyrotaygetis satyrina* (H.W. Bates, 1865)
 944. *Taygetis inconspicua* Draudt, 1931
 945. *Taygetis kerea* Butler, 1869
 946. *Taygetis mermeria excavata* Butler, 1868
 947. *Taygetis rufomarginata* Staudinger, 1888
 948. *Taygetis thamyra* (Cramer, 1779)
 949. *Taygetis uncinata* Weymer, 1907
 950. *Taygetis virgilia* (Cramer, 1776)
 951. *Taygetis weymeri* Draudt, 1912
 952. *Ypthimoides renata* (Stoll, 1780)
 953. *Gyrocheilus patrobas patrobas* (Hewitson, 1862)

Charaxinae

954. *Consul electra electra* (Westwood, 1850)
 955. *Consul fabius cecrops* (Doubleday, [1849])
 956. *Hypna clytemnestra mexicana* A. Hall, 1917
 957. *Siderone galanthis* ssp. n.
 958. *Zaretis callidryas* (R. Felder, 1869)
 959. *Zaretis ellops* (Ménétriés, 1855)
 960. *Anaea troglodyta aidea* (Guérin-Méneville, [1844])
 961. *Fountainea euryppyle confusa* (A. Hall, 1929)
 962. *Fountainea glycerium glycerium* (Doubleday, [1849])
 963. *Fountainea halice martinezi* (J. Maza & Díaz, 1978)
 964. *Fountainea ryphea ryphea* (Cramer, 1775)
 965. *Memphis arginussa eubaena* (Boisduval, 1870)
 966. *Memphis artacaena* (Hewitson, 1869)
 967. *Memphis dia dia* (Godman & Salvin, 1884)
 968. *Memphis forreri* (Godman & Salvin, 1884)
 969. *Memphis bedemanni* (R. Felder, 1869)
 970. *Memphis herbacea* (Butler & H.Druce, 1872)
 971. *Memphis mora orthesia* (Godman & Salvin, 1884)
 972. *Memphis moruus boisduvali* (W.P. Comstock, 1961)
 973. *Memphis neidhoferi* Rotger, Escalante & Coronado, 1965
 974. *Memphis oenomais* (Boisduval, 1870)
 975. *Memphis philumena xenica* (H.W. Bates, 1864)
 976. *Memphis pithyusa pithyusa* (R. Felder, 1869)

977. *Memphis proserpina proserpina* (Salvin, 1869)
 978. *Memphis schausiana* (Godman & Salvin, 1894)
 979. *Memphis xenocles carolina* (W.P. Comstock, 1961)
 980. *Archaeoprepona amphimachus amphiktion* Fruhstorfer, 1916
 981. *Archaeoprepona demophon centralis* (Fruhstorfer, 1905)
 982. *Archaeoprepona demophoon gulina* (Fruhstorfer, 1904)
 983. *Archaeoprepona demophoon mexicana* Llorente, Descimon & K. Johnson, 1993
 984. *Prepona deiphile brooksiana* Godman & Salvin, 1889
 985. *Prepona deiphile escalantiana* Stoffel & Mast, 1973
 986. *Prepona dexamenus medinai* Beutelspacher, 1981
 987. *Prepona laertes octavia* Fruhstorfer, 1905
 988. *Prepona pylene philetas* Fruhstorfer, 1904

Bibliidinae

989. *Marpesia chiron marius* (Cramer, 1779)
 990. *Marpesia corita corita* (Westwood, 1850)
 991. *Marpesia corita phiale* (Godman & Salvin, 1878)
 992. *Marpesia harmonia* (Klug, 1836)
 993. *Marpesia petreus* ssp. n.
 994. *Marpesia zerynthia dentigera* (Fruhstorfer, 1907)
 995. *Biblis hyperia aganisa* Boisduval, 1836
 996. *Mestra dorcas amymone* (Ménétriés, 1857)
 997. *Catonephele cortesi* R.G. Maza, 1982
 998. *Catonephele mexicana* Jenkins & R.G. Maza, 1985
 999. *Catonephele numilia esite* (R. Felder, 1869)
 1000. *Eunica alcmena alcmena* (Doubleday, [1847])
 1001. *Eunica caelina augusta* H.W. Bates, 1866
 1002. *Eunica monima* (Stoll, 1782)
 1003. *Eunica mygdonia omoa* A. Hall, 1919
 1004. *Eunica sydonia caresa* (Hewitson, [1857])
 1005. *Eunica tatila tatila* (Herrich-Schäffer, [1855])
 1006. *Myscelia cyananthe cyananthe* C. Felder & R. Felder, 1867
 1007. *Myscelia cyaniris cyaniris* Doubleday, [1848]
 1008. *Myscelia ethusa ethusa* (Doyère, [1840])
 1009. *Nessaea aglaura aglaura* (Doubleday, [1848])
 1010. *Hamadryas amphinome mexicana* (Lucas, 1853)
 1011. *Hamadryas atlantis lelaps* (Godman & Salvin, 1883)
 1012. *Hamadryas februa ferentina* (Godart, [1824])
 1013. *Hamadryas feronia farinulenta* (Fruhstorfer, 1916)
 1014. *Hamadryas fornax fornacalia* (Fruhstorfer, 1907)
 1015. *Hamadryas glauconome glauconome* (H.W. Bates, 1864)
 1016. *Hamadryas guatemalena marmarice* (Fruhstorfer, 1916)
 1017. *Hamadryas iphthime joanna* Jenkins, 1983

1018. *Hamadryas laodamia saurites* (Fruhstorfer, 1916)
 1019. *Bolboneura sylphis veracruzana* Draudt, 1931
 1020. *Epiphile adrasta adrasta* Hewitson, 1861
 1021. *Epiphile iblis plutonia* H.W. Bates, 1864
 1022. *Nica flavilla* ssp. n.
 1023. *Pyrrhogyra edocla edocla* Doubleday, [1848]
 1024. *Pyrrhogyra neaerea hypsenor* Godman & Salvin, 1884
 1025. *Pyrrhogyra otolais otolais* H.W. Bates, 1864
 1026. *Temenis laothoe hondurensis* Fruhstorfer, 1907
 1027. *Dynamine artemisia* ssp. n.
 1028. *Dynamine dyonis* Geyer, 1837
 1029. *Dynamine postverta mexicana* d'Almeida, 1952
 1030. *Dynamine theseus* (C. Felder & R. Felder, 1861)
 1031. *Callicore astarte casta* (Salvin, 1869)
 1032. *Callicore lyca lyca* (Doubleday, [1847])
 1033. *Callicore pitheas* (Latreille, [1813])
 1034. *Callicore texa heroica* (Fruhstorfer, 1916)
 1035. *Callicore texa titania* (Salvin, 1869)
 1036. *Callicore tolima tehuana* R.G. Maza & J. Maza, 1983
 1037. *Diaethria anna anna* (Guérin-Méneville, [1844])
 1038. *Diaethria astala astala* (Guérin-Méneville, [1844])
 1039. *Cyclogramma bacchis* (Doubleday, 1849)
 1040. *Cyclogramma pandama* (Doubleday, [1848])
 1041. *Adelpha barnesia leucas* Fruhstorfer, 1915
 1042. *Adelpha basiloides* (H.W. Bates, 1865)
 1043. *Adelpha boeotia oberthurii* (Boisduval, 1870)
 1044. *Adelpha cocala lorzae* (Boisduval, 1870)
 1045. *Adelpha cytherea marcia* Fruhstorfer, 1913
 1046. *Adelpha delinita utina* A. Hall, 1938
 1047. *Adelpha diazi* Beutelspacher, 1975
 1048. *Adelpha diocles creton* Godman, 1901
 1049. *Adelpha donysa donysa* (Hewitson, 1847)
 1050. *Adelpha ethelda* ssp. n.
 1051. *Adelpha felderi* (Boisduval, 1870)
 1052. *Adelpha fessonia fessonia* (Hewitson, 1847)
 1053. *Adelpha iphicleola iphicleola* (H.W. Bates, 1864)
 1054. *Adelpha iphicus iphicus* (Linnaeus, 1758)
 1055. *Adelpha leuceria leuceria* (H. Druce, 1874)
 1056. *Adelpha leucerioides* Beutelspacher, 1975
 1057. *Adelpha lycorias melanthe* (H.W. Bates, 1864)
 1058. *Adelpha milleri* Beutelspacher, 1976
 1059. *Adelpha naxia naxia* (C. Felder & Felder, 1867)

1060. *Adelpha nea sentia* Godman & Salvin, 1884
 1061. *Adelpha paraena massilia* (C. Felder & R. Felder, 1867)
 1062. *Adelpha paroeca paroeca* (H.W. Bates, 1864)
 1063. *Adelpha phylaca phylaca* (H.W. Bates, 1866)
 1064. *Adelpha pithys* (H.W. Bates, 1864)
 1065. *Adelpha salmoneus salmonides* A. Hall, 1938
 1066. *Adelpha salus* ssp. n.
 1067. *Adelpha serpa celerio* (H.W. Bates, 1864)
 1068. *Limenitis archippus hoffmanni* R.L. Chermock, 1947
 1069. *Limenitis arthemis arizonensis* W.H. Edwards, 1882
- Apaturinae**
1070. *Asterocampa idyja argus* (H.W. Bates, 1864)
 1071. *Asterocampa leilia* (W.H. Edwards, 1874)
 1072. *Doxocopa callianira* (Ménétriés, 1855)
 1073. *Doxocopa cyane mexicana* Bryk, 1953
 1074. *Doxocopa laure laure* (Drury, 1773)
 1075. *Doxocopa laurentia cherubina* (C. Felder & R. Felder, 1867)
 1076. *Doxocopa pavon theodora* (Lucas, 1857)
 1077. *Colobura dirce dirce* (Linnaeus, 1758)
- Nymphalinae**
1078. *Historis acheronta acheronta* (Fabricius, 1775)
 1079. *Historis odius dious* Lamas, 1995
 1080. *Smyrna blomfieldia datis* Fruhstorfer, 1908
 1081. *Smyrna karwinskii* Geyer, [1833]
 1082. *Hypanartia dione disjuncta* Willmott, J. Hall y Lamas, 2001
 1083. *Hypanartia godmanii* (H.W. Bates, 1864)
 1084. *Hypanartia lethe* (Fabricius, 1793)
 1085. *Hypanartia trimaculata autumnna* Willmott, J. Hall & Lamas, 2001
 1086. *Nymphalis antiopa antiopa* (Linnaeus, 1758)
 1087. *Nymphalis cyanomelas* (Doubleday, [1848])
 1088. *Polygonia g-argenteum* (Doubleday, 1848)
 1089. *Polygonia haroldii* (Dewitz, 1877)
 1090. *Polygonia interrogationis* (Fabricius, 1798)
 1091. *Vanessa annabella* (Field, 1971)
 1092. *Vanessa atalanta rubria* (Fruhstorfer, 1909)
 1093. *Vanessa cardui* (Linnaeus, 1758)
 1094. *Vanessa virginiensis* (Drury, 1773)
 1095. *Anartia fatima fatima* (Fabricius, 1793)
 1096. *Anartia jatrophae luteipicta* Fruhstorfer, 1907
 1097. *Junonia coenia* Hübner, [1822]
 1098. *Junonia evarete nigrosuffusa* Barnes & McDunnough, 1916
 1099. *Junonia evarete* ssp. n.

1100. *Siproeta epaphus epaphus* (Latreille, [1813])
 1101. *Siproeta stelenes biplagiata* (Fruhstorfer, 1907)
 1102. *Siproeta superba superba* (H.W. Bates, 1864)
 1103. *Chlosyne cyneas cyneas* (Godman & Salvin, 1878)
 1104. *Chlosyne cyneas cynisca* (Godman & Salvin, 1882)
 1105. *Chlosyne definita definita* (Aaron, [1885])
 1106. *Chlosyne definita anastasia* (Hemming, 1934)
 1107. *Chlosyne ehrenbergii* (Geyer, [1833])
 1108. *Chlosyne erodyle erodyle* (H.W. Bates, 1864)
 1109. *Chlosyne gaudialis gaudialis* (H.W. Bates, 1864)
 1110. *Chlosyne hippodrome hippodrome* (Geyer, 1837)
 1111. *Chlosyne janais janais* (Drury, 1782)
 1112. *Chlosyne lacinia lacinia* (Geyer, 1837)
 1113. *Chlosyne marina marina* (Geyer, 1837)
 1114. *Chlosyne marina melitaeoides* (C. Felder & R. Felder, 1867)
 1115. *Chlosyne melanarge* (H.W. Bates, 1864)
 1116. *Chlosyne rosita browni* Bauer, 1961
 1117. *Chlosyne theona theona* (Ménétriés, 1855)
 1118. *Microtia elva horni* Rebel, 1906
 1119. *Texola elada ulrica* (W.H. Edwards, 1877)
 1120. *Anthanassa ardys ardys* (Hewitson, 1864)
 1121. *Anthanassa argentea* (Godman & Salvin, 1882)
 1122. *Anthanassa atronia* (H.W. Bates, 1866)
 1123. *Anthanassa drusilla lelex* (H.W. Bates, 1864)
 1124. *Anthanassa frisia tulcis* (H.W. Bates, 1864)
 1125. *Anthanassa nebulosa alexon* (Godman & Salvin, 1889)
 1126. *Anthanassa otaes cyno* (Godman & Salvin, 1889)
 1127. *Anthanassa ptolyca ptolyca* (H.W. Bates, 1864)
 1128. *Anthanassa sitalces sitalces* (Godman & Salvin, 1882)
 1129. *Anthanassa texana texana* (W.H. Edwards, 1863)
 1130. *Castilia chinantlensis* (R.F. Maza, 1978)
 1131. *Castilia eranites* (Hewitson, 1857)
 1132. *Castilia griseobasalis* (Röber, 1913)
 1133. *Castilia myia* (Hewitson, [1864])
 1134. *Castilia ofella* (Hewitson, [1864])
 1135. *Eresia clio clio* (Linnaeus, 1758)
 1136. *Eresia phillyra phillyra* Hewitson, 1852
 1137. *Phyciodes graphica vesta* (W.H. Edwards, 1869)
 1138. *Phyciodes mylitta mexicana* A. Hall, 1928
 1139. *Phyciodes mylitta thebais* Godman & Salvin, 1878
 1140. *Phyciodes pallescens* (R. Felder, 1869)
 1141. *Phyciodes phaon phaon* (W.H. Edwards, 1864)

1142. *Phyciodes picta canace* W.H. Edwards, 1871
1143. *Phyciodes pulchella pulchella* (Boisduval, 1852)
1144. *Phyciodes tharos tharos* (Drury, 1773)
1145. *Tegosa anieta luka* Higgins, 1981
1146. *Tegosa guatemalena* (H.W. Bates, 1864)
1147. *Euptoieta claudia daunius* (Herbst, 1798)
1148. *Euptoieta hegesia meridiania* Stichel, 1938
1149. *Altinote ozomene nox* (H.W. Bates, 1864)
1150. *Altinote stratonice oaxaca* (J.Y. Miller & L.D. Miller, 1979)
1151. *Actinote antea* ssp. n.
1152. *Actinote guatemalena veraecrucis* Jordan, 1913
1153. *Agraulis vanillae incarnata* (Riley, 1926)
1154. *Dione junio huascuma* (Reakirt, 1866)
1155. *Dione moneta poeyii* Butler, 1873
1156. *Dryadula phaetusa* (Linnaeus, 1758)
1157. *Dryas iulia moderata* (Riley, 1926)
1158. *Philaethria diatonica* (Fruhstorfer, 1912)
1159. *Laparus doris viridis* (Staudinger, 1885)
1160. *Eueides aliphaera gracilis* Stichel, 1903
1161. *Eueides isabella eva* (Fabricius, 1793)
1162. *Eueides lineata* Salvin & Godman, 1868
1163. *Eueides procula asidia* Schaus, 1920
1164. *Eueides vibilia vialis* Stichel, 1903
1165. *Heliconius charithonia vazquezae* W.P. Comstock & F.M. Brown, 1950
1166. *Heliconius cydno galanthus* H.W. Bates, 1864
1167. *Heliconius erato petiverana* Doubleday, 1847
1168. *Heliconius hecale zuleika* Hewitson, 1854
1169. *Heliconius hecalesia octavia* H.W. Bates, 1866
1170. *Heliconius hortense* Guérin-Méneville, [1844]
1171. *Heliconius ismenius telchinia* Doubleday, 1847
1172. *Heliconius sapho leuce* Doubleday, 1847
1173. *Heliconius sara veraepacis* H.W. Bates, 1864